

# Contents

- Abe K, Vannier J: Functional morphology and significance of the circulatory system of Ostracoda, exemplified by *Vargula hilgendorfii* (Myodocopida) 51
- Amat F → Navarro JC
- Andersen RJ → Shaw BA
- Andrew J → Ward RD
- Armstrong D → Iribarne O
- Baldwin RJ → Kaufmann RS
- Ballantyne JS → Glemet HC
- Bandel K, Hemleben C: Observations on the ontogeny of thecosomatous pteropods (holoplanktic Gastropoda) in the southern Red Sea and from Bermuda 225
- Basch L → Brey T
- Bates JA, Innes DJ: Genetic variation among populations of *Mytilus* spp. in eastern Newfoundland 417
- Bates JA → Jones R
- Batten SD → Shearer M
- Becerro MA → Uriz MJ
- Belda CA, Yellowlees D: Phosphate acquisition in the giant clam-zooxanthellae symbiosis 261
- Bergmann B → Janson S
- Best PB, Schell DM: Stable isotopes in southern right whale (*Eubalaena australis*) baleen as indicators of seasonal movements, feeding and growth 483
- Biesiot PM, Perry HM: Biochemical composition of the deep-sea red crab *Chaceon quinque-dens* (Geryonidae): organic reserves of developing embryos and adults 407
- Blades-Eckelbarger P → Hassett RP
- Bonardelli JC, Himmelman JH, Drinkwater K: Relation of spawning of the giant scallop, *Placopecten magellanicus*, to temperature fluctuations during downwelling events 637
- Bourget E → Pearce CM
- Boutillier RG → Hunt von Herbing I
- Brey T, Pearce J, Basch L, McClintock J, Slattery M: Growth and production of *Stereochinus neumayeri* (Echinoidea: Echinodermata) in McMurdo Sound, Antarctica 279
- Brody E → Matrai PA
- Bryan GW → Ruiz JM
- Byrne M → Selvakumaraswamy P
- Campbell AK → Thomson CM
- Cañavate JP, Lubian LM: Relationship between cooling rates, cryoprotectant concentrations and salinities in the cryopreservation of marine microalgae 325
- Carroll AK, Shick JM: Dietary accumulation of UV-absorbing mycosporine-like amino acids (MAAs) by the green sea urchin (*Strongylocentrotus droebachiensis*) 561
- Caron A, Desrosiers G, Miron G, Retière C: Comparison of spatial overlap between the polychaetes *Nereis virens* and *Nephtys caeca* in two intertidal estuarine environments 537
- Casillas E → Krishnakumar PK
- Chao S-M, Tsai C-C: Reproduction and population dynamics of the fissiparous brittle star *Ophiactis savignyi* (Echinodermata: Ophiuroidea) 77
- Chen T-H, Cheng I-J: Breeding biology of the green turtle, *Chelonia mydas*, (Reptilia: Cheloniidae) on Wan-An Island, Peng-Hu Archipelago, Taiwan. I. Nesting ecology 9
- Cheng I-J → Chen T-H
- Claereboudt MR, Himmelman JH: Recruitment, growth and production of giant scallops (*Placopecten magellanicus*) along an environmental gradient in Baie des Chaleurs, eastern Canada 661
- Colin SP → Costello JH
- Colomba MS → Sella G
- Costello JH, Colin SP: Flow and feeding by swimming scyphomedusae 399
- Craddock C, Hoeh WR, Lutz RA, Vrijenhoek RC: Extensive gene flow among mytilid (*Bathymodiolus thermophilus*) populations from hydrothermal vents of the eastern Pacific 137
- Crocker KM, Ondrusek ME, Petty RL, Smith RC: Dimethylsulfide, algal pigments and light in an Antarctic *Phaeocystis* sp. bloom 335
- Dall W: Carotenoids versus retinoids (Vitamin A) as essential growth factors in penaeid prawns (*Penaeus semisulcatus*) 209
- Dauvin JC → Wang Z
- Degnan BM, Lavin MF: Highly repetitive DNA sequences provide evidence for a lack of gene flow between two morphological forms of *Herdmania momus* (Ascidacea: Stolidobranchia) 293
- Desrosiers G → Caron A
- Drinkwater K → Bonardelli JC
- Evers D → Schaffelke B
- Evjen MS → Finn RN
- Fernandez M → Iribarne O
- Finn RN, Fyhn HJ, Evjen MS: Physiological energetics of developing embryos and yolk-sac larvae of Atlantic cod (*Gadus morhua*). I. Respiration and nitrogen metabolism 355
- Finn RN, Henderson JR, Fyhn HJ: Physiological energetics of developing embryos and yolk-sac larvae of Atlantic cod (*Gadus morhua*). II. Lipid metabolism and enthalpy balance 371
- Francis RICC: The problem of specifying otolith-mass growth parameters in the radiometric estimation of fish age using whole otoliths 169
- Fyhn HJ → Finn RN
- Gallager SM, Manuel JL, Manning DA, O'Dor R: Ontogenetic changes in the vertical distribution of giant scallop larvae, *Placopecten magellanicus*, in 9-m deep mesocosms as a function of light, food, and temperature stratification 679
- Gallager SM → Pearce CM
- Garcia-Rubies A, Macpherson E: Substrate use and temporal pattern of recruitment in juvenile fishes of the Mediterranean littoral 35
- Gibbs PE → Ruiz JM
- Gibson S, Johnston IA: Temperature and development in larvae of the turbot *Scophthalmus maximus* 17
- Giere O → Wetzel MA
- Giske J → Goodson MS
- Glatts RC → Kaufmann RS
- Glemet HC, Ballantyne JS: Comparison of liver mitochondrial membranes from an agnathan (*Myxine glutinosa*), an elasmobranch (*Raja erinacea*) and a teleost fish (*Pleuronectes americanus*) 509
- Goddard SV → Wroblewski JS
- Goodson MS, Giske J, Rosland R: Growth and ovarian development of *Mauroliscus muelleri* during spring 185
- Hall BK → Hunt von Herbing I
- Harrison PJ → Shaw BA
- Hassett RP, Blades-Eckelbarger P: Diel changes in gut-cell morphology and digestive activity of the marine copepod *Acartia tonsa* 59
- Hatcher BG → Kleinman S
- Hemleben C → Bandel K
- Henderson JR → Finn RN
- Herring PJ → Thomson CM
- Hilbish TJ → Rawson PD
- Himmelman JH → Bonardelli JC
- Himmelman JH → Claereboudt MR
- Himmelman JH → Stokesbury KDE
- Hoeh WR → Craddock C
- Hood R → Matrai PA
- Hunt von Herbing I, Boutillier RG, Miyake T, Hall BK: Effects of temperature on morphological landmarks critical to growth and survival in larval Atlantic cod (*Gadus morhua*) 593
- Hunt von Herbing I, Boutillier RG: Activity and metabolism of larval Atlantic cod (*Gadus morhua*) from Scotian Shelf and Newfoundland source populations 607
- Ilan M → Meroz E
- Innes DJ → Bates JA
- Innes DJ → Jones R
- Iribarne O, Fernandez M, Armstrong D: Precopulatory guarding-time of the male amphipod *Eogammarus oclairi*: effect of population structure 219
- Janson S, Rai AN, Bergmann B: Intracellular cyanobiont *Richelia intracellularis*: ultrastructure and immuno-localisation of phycoerythrin, nitrogenase, Rubisco and glutamine synthetase 1

- Jennings A → Matrai PA  
 Jensen P → Wetzel MA  
 Johnston IA → Gibson S  
 Jones R, Bates JA, Innes DJ, Thompson RJ: Quantitative genetic analysis of growth in larval scallops (*Placopecten magellanicus*) 671  
 Josefson AB: Large-scale estimate of somatic growth in *Amphiura filiformis* (Echinodermata: Ophiuroidea) 435
- Kaufmann RS, Smith KL Jr, Baldwin RJ, Glatts RC, Robison BH, Reisenbichler KR: Effects of seasonal pack ice on the distribution of macrozooplankton and micronekton in the northwestern Weddell Sea 387  
 Kim SL → Mullineaux LS  
 Kleinman S, Hatcher BG, Scheibling RE: Growth and content of energy reserves in juvenile sea scallops, *Placopecten magellanicus*, as a function of swimming frequency and water temperature in the laboratory 629  
 Kremer PM → Montgomery MK  
 Krishnakumar PK, Casillas E, Varanasi U: Effects of chemical contaminants on the health of *Mytilus edulis* from Puget Sound, Washington. II. Cytochemical detection of subcellular changes in digestive cells 251
- Lavin MF → Degnan BM  
 Liang D, Uye S, Onbé T: Population dynamics and production of the planktonic copepods in a eutrophic inlet of the Inland sea of Japan. I. *Centropages abdominalis* 527  
 Linkowski TB: Lunar rhythms of vertical migrations coded in otolith microstructure of North Atlantic laternfishes, genus *Hygophum* (Myctophidae) 495  
 Lubian LM → Cañavate JP  
 Lutz RA → Craddock C  
 Lutz RA → Mullineaux LS
- Macpherson E → García-Rubies A  
 Mallefet J, Shimomura O: Presence of coelenterazine in mesopelagic fishes from the Strait of Messina 381  
 Manning DA → Gallagher SM  
 Manning DA → Pearce CM  
 Manuel JL → Gallagher SM  
 Manuel JL → Pearce CM  
 Matrai PA, Vernet M, Hood R, Jennings A, Brody E, Saemundsdóttir S: Light dependence of carbon and sulfur production by polar clones of the genus *Phaeocystis* 157  
 McClintock J → Brey T  
 McEvoy LA → Navarro JC  
 Meroz E, Ilan M: Cohabitation of a coral reef sponge and a colonial scyphozoan 453  
 Meroz E, Ilan M: Life history characteristics of a coral reef sponge 443  
 Miron G → Caron A  
 Miyake T, Hall BK: Effects of temperature on morphological landmarks critical to growth and survival in larval Atlantic cod (*Qadus morhua*) 593  
 Miyake T → Hunt von Herbing I
- Moltschaniwskyj NA: Multiple spawning in the tropical squid *Photoligo* sp.: what is the cost in somatic growth? 127  
 Montgomery MK, Kremer PM: Transmission of symbiotic dinoflagellates through the sexual cycle of the host scyphozoan *Linuche unguiculata* 147  
 Mullineaux LS, Kim SL, Pooley A, Lutz RA: Identification of archaeogastropod larvae from a hydrothermal vent community 551  
 Murie DJ: Comparative feeding ecology of two sympatric rockfish congeners, *Sebastes caurinus* (copper rockfish) and *S. maliger* (quillback rockfish) 341  
 Myers AA → Wilkins HKA
- Navarro JC, McEvoy LA, Amat F, Sargent JR: Effects of diet on fatty acid composition of body zones in larvae of the sea bass *Dicentrarchus labrax*: a chemometric study 177  
 Nishihira Moritaka → Yamashiro Hideyuki
- O'Dor R → Gallagher SM  
 O'Dor RK, Thompson R: Ocean Production Enhancement Network (OPEN): Fourth annual scientific meeting contributions 591  
 O'Dor RK → Pearce CM  
 Onbé T → Liang D  
 Ondrusek ME → Crocker KM
- Pearce CM, O'Dor RK, Gallagher SM, Manuel JL, Manning DA, Bourget E: Settlement of larvae of the giant scallop, *Placopecten magellanicus*, in 9-m deep mesocosms as a function of temperature stratification, depth, food, and substratum 693  
 Pearce J → Brey T  
 Perry HM → Biesiot PM  
 Petty RL → Crocker KM  
 Piatkowski U → Rodhouse PG  
 Pooley A → Mullineaux LS
- Rai AN → Janson S  
 Ramella L → Sella G  
 Rawson PD, Hilbish TJ: Distribution of male and female mtDNA lineages in populations of blue mussels, *Mytilus trossulus* and *M. galloprovincialis*, along the Pacific coast of North America 245  
 Reisenbichler KR → Kaufmann RS  
 Retière C → Caron A  
 Robison BH → Kaufmann RS  
 Rodhouse PG, Piatkowski U: Fine-scale distribution of juvenile cephalopods in the Scotia Sea and adaptive allometry of the brachial crown 111  
 Rosland R → Goodson MS  
 Ruiz JM, Bryan GW, Gibbs PE: Acute and chronic toxicity of tributyltin (TBT) to pediveliger larvae of the bivalve *Scrobicularia plana* 119
- Saemundsdóttir S → Matrai PA  
 Sargent JR → Navarro JC  
 Schaffelke B, Evers D, Walhorn A: Selective grazing of the isopod *Idotea baltica* between *Fucus evanescens* and *F. vesiculosus* from Kiel Fjord (western Baltic) 215  
 Scheibling RE → Kleinman S  
 Schell DM → Best PB  
 Sella G, Vitturi R, Ramella L, Colomba MS: Chromosomal nucleolar organizer region (NOR) phenotypes in nine species of the genus *Ophryotrocha* (Polychaeta: Dorvilleidae) 425  
 Selvakumaraswamy P, Byrne M: Reproductive cycle of two populations of *Ophioneis schayeri* (Ophiuroidea) in New South Wales 85  
 Shaw BA, Andersen RJ, Harrison PJ: Feeding deterrence properties of apo-fucoanthinoids from marine diatoms. I. Chemical structures of apo-fucoanthinoids produced by *Phaeodactylum tricornutum* 467  
 Shaw BA, Harrison PJ, Andersen RJ: Feeding deterrence properties of apo-fucoanthinoids from marine diatoms. II. Physiology of production of apo-fucoanthinoids by the marine diatoms *Phaeodactylum tricornutum* and *Thalassiosira pseudonana*, and their feeding deterrent effects on the copepod *Tigriopus californicus* 473  
 Shearer M, Batten SD: Comparative study of sympatric populations of two hyperiid amphipods, *Primno johnsoni* and *P. evansi*, from the eastern North Atlantic Ocean 43  
 Shearer M: Factors influencing egg size in the gammarid amphipod *Gammarus insensibilis* 519  
 Shick JM → Carroll AK  
 Shimomura O → Mallefet J  
 Slattery M → Brey T  
 Smedbol RK → Wroblewski JS  
 Smith KL Jr → Kaufmann RS  
 Smith RC → Crocker KM  
 Spicer JJ: Oxygen and acid-base status of the sea urchin *Psammechinus miliaris* during environmental hypoxia 71  
 Stokesbury KDE, Himmelman JH: Experimental examination of movement of the giant scallop, *Placopecten magellanicus* 651
- Taggart CT → Wroblewski JS  
 Thiébaud E → Wang Z  
 Thompson R → O'Dor RK  
 Thompson RJ → Jones R  
 Thomson CM, Herring PJ, Campbell AK: Coelenterazine distribution and luciferase characteristics in oceanic decapod crustaceans 197  
 Tsai C-C → Chao S-M  
 Tur JM → Uriz MJ  
 Turon X → Uriz MJ
- Uriz MJ, Becerro MA, Tur JM, Turon X: Location of toxicity within the Mediterranean sponge *Crambe crambe* (Demospongiae: Poecilosclerida) 583  
 Uye S → Liang D
- Vacquier VD → Youn-Ho Lee  
 Vannier J → Abe K  
 Varanasi U → Krishnakumar PK

- Vernet M → Matrai PA  
Vitturi R → Sella G  
Vrijenhoek RC → Craddock C
- Walhorn A → Schaffelke B  
Wang Z, Thiébaud E, Dauvin JC: Spring abundance and distribution of the ctenophore *Pleurobrachia pileus* in the Seine estuary: advective transport and diel vertical migration 313  
Ward RD, Andrew J: Population genetics of the northern Pacific seastar *Asterias amurensis* (Echinodermata: Asteroidea): allozyme differentiation among Japanese, Russian, and recently introduced Tasmanian populations 99  
Wetzel MA, Jensen P, Gieré O: Oxygen/sulfide regime and nematode fauna associated with *Arenicola marina* burrows: new insights in the thalassios case 301  
Wilkins HKA, Myers AA: Use of space by *Gobius cruentatus* and *Thorogobius ephippiatus* (Teleostei: Gobiidae) in south-west Ireland 27  
Witte U: Seasonal reproduction in deep-sea sponges – triggered by vertical particle flux? 571
- Wroblewski JS, Smedbol RK, Taggart CT, Goddard SV: Movements of farmed and wild Atlantic cod (*Gadus morhua*) released in Trinity Bay, Newfoundland 619
- Yamashiro Hideyuki, Nishihira Moritaka: Phototaxis in Fungiidae corals (Scleractinia) 461  
Yellowlees D → Belda CA  
Youn-Ho Lee, Vacquier VD: Evolution and systematics in Haliotidae (Mollusca: Gastropoda): inferences from DNA sequences of sperm lysin 267